

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,129,905 B2
APPLICATION NO. : 10/511060
DATED : October 31, 2006
INVENTOR(S) : Sosumu Morioka


Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title Page, (75), "Sosumu Morioka" should read --Susumu Morioka--
Column 1, line 11, "equipment is normally" should read --equipment normally--
Column 1, line 14, "supposed to be used" should read --to be used--
Column 1, line 14, "separated" should read --separate--
Column 1, line 16, "installed." should read --installed onto.--
Column 1, line 30, "it in necessary" should read --it is necessary--
Column 2, line 10, "as the" should read --of the--
Column 2, line 14, "as the" should read --of the--
Column 3, line 9, "in a FM" should read --in an FM--
Column 5, line 34, "as the present" should read --as in the present--
Column 5, line 37, "dose not affect on the" should read --dose not affect the--
Column 5, line 43, "dose not affect on the" should read --does not affect the--
Column 6, line 18, "other then" should read --other than--
Column 6, line 36, "and the like" should read --and the like,--
Column 7, line 2, "FIG. 5B" should read --FIG. 5B,--

Signed and Sealed this

Sixteenth Day of September, 2008

A handwritten signature in black ink, appearing to read "Jon W. Dudas". The signature is stylized with a large, looped initial "J" and a distinct "D" at the end.

JON W. DUDAS
Director of the United States Patent and Trademark Office